EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(@ad<"20000201" @rlad<"20000201") and domain logic bank of america asyst assignee	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:07
L1	8	"899833".ap.	US-PGPUB; USPAT	OR	OFF	2009/05/11 10:26
S1	46	("20020026514" | "20030134590" | "4698766" | "5271453" | "5291416" | "5432702" | "5453933" | "5805442" | "5809028" | "5826040" | "5847957" | "5862325" | "5901286" | "5948063" | "5961588" | "5987135" | "6016516" | "6021331" | "6094678" | "6167451" | "6198480" | "6201996" | "6332163" | "6349341" | "6370448" | "6418214" | "6418352" | "6421682" | "6463352" | "6470227" | "6535779" | "6549937" | "6553403" | "6615091" | "6618425" | "6640151" | "6658571" | "6681145" | "6708223" | "6826439" | "6832120" | "6842660" | "6944584" | "7031783" | "7053767" | "7069101").PN.	US-PGPUB; USPAT	OR	OFF	2008/12/16 14:32
S2	1	"6192415".pn.	US-PGPUB; USPAT	OR	OFF	2008/12/16 14:34
S3	1862	(@ad<"20000201" @rlad<"20000201") and (url near9 (method class object script instruction)) and (secs gem manufactur$5 fabricat$5 cutting machinery tool)	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:08
S4	145	S3 and (secs gem manufactur$5 fabricat$5 cutting machinery tool).ab.	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:09

S5	10	S3 and "703".clas.	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:12
S6	870	(@ad<"20000201" @rlad<"20000201") and (url near9 (method class object script instruction simulat$5 control$5 instantiat$5)) and ((manufactur$5 fabricat$5 cutting machinery tool) near9 (method class object script instruction simulat$5 control$5 instantiat$5))	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:16
S7	916	(@ad<"20000201" @rlad<"20000201") and ((url uri) near9 (method class object script instruction simulat$5 control $5 instantiat$5 invok$5)) and ((manufactur$5 fabricat$5 cutting machinery tool) near9 (method class object script instruction simulat$5 control$5 instantiat$5))	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:18
S8	1	(@ad<"20000201" @rlad<"20000201") and ((url uri) near9 (method class object script instruction simulat$5 control $5 instantiat$5 invok$5)) and ((manufactur$5 fabricat$5 cutting machinery tool) near9 (method class object script instruction simulat$5 control$5 instantiat$5)) and ((SEMI cem) near9 (model standard interface protocol object class manufactur$5 fabricat$5)) and ((schema xml) near9 (object model definition)) and ((SEMI cem xml schema) near9 (tool machine device equipment))	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:19

| S9 | 1 | (@ad<"20000201" @rlad<"20000201") and ((url uri (web$5 near3 (address $5link))) near9 (method class object script instruction simulat$5 control $5 instantiat$5 invok$5)) and ((manufactur$5 fabricat$5 cutting machinery tool) near9 (method class object script instruction simulat$5 control$5 instantiat$5)) and ((SEMI cem) near9 (model standard interface protocol object class manufactur$5 fabricat$5)) and ((schema xml) near9 (object model definition)) and ((SEMI cem xml schema) near9 (tool machine device equipment)) | US-PGPUB; USPAT | OR | OFF | 2009/04/30 13:24 |
| S10 | 1 | (@ad<"20000201" @rlad<"20000201") and ((url uri ((web$5 html internet http) near3 (address $5link location))) near9 (method class object script instruction simulat$5 control$5 instantiat$5 invok $5)) and ((manufactur$5 fabricat$5 cutting machinery tool) near9 (method class object script instruction simulat$5 control$5 instantiat$5)) and ((SEMI cem) near9 (model standard interface protocol object class manufactur$5 fabricat$5)) and ((schema xml) near9 (object model definition)) and ((SEMI cem xml schema) near9 (tool machine device equipment)) | US-PGPUB; USPAT | OR | OFF | 2009/04/30 13:25 |

S11	1621	(@ad< "20000201" @rlad< "20000201") and ((url uri ((web$5 html internet http) near3 (address $5link location reference))) near9 (method class object script instruction simulat$5 control $5 instantiat$5 invok$5)) and ((manufactur$5 fabricat$5 cutting machinery tool) near9 (method class object script instruction simulat$5 control$5 instantiat$5))	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:26
S12	455	(@ad< "20000201" @rlad< "20000201") and ((url uri ((web$5 html internet http) near3 (address $5link location reference))) near9 (method class object script instruction simulat$5 control $5 instantiat$5 invok$5)) and ((manufactur$5 fabricat$5 cutting machinery tool) near9 (method class object script instruction simulat$5 control$5 instantiat$5)) and ("703" "709").clas. not "l5"	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:26
S13	34	S12 and ((manufactur$5 fabricat$5 cutting machinery tool) near9 (method class object script instruction simulat$5 control$5 instantiat$5)).ab. and ("703" "709").clas. not "l5"	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:27
S14	34	S12 and ((manufactur$5 fabricat$5 cutting machinery tool) near9 (method class object script instruction simulat$5 control$5 instantiat$5)).ab. and ("703" "709").clas.	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:27
S15	0	S12 and ((manufactur$5 fabricat$5 cutting machinery tool) near9 (method class object script instruction simulat$5 control$5 instantiat$5)).ab. and ("703" "709" "700").clas. not S14	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:29

S16	421	S12 and ((manufactur$5 fabricat$5 cutting machinery tool) near9 (method class object script instruction simulat$5 control$5 instantiat$5)) and ("703" "709" "700").clas. not S14	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:29
S17	79	(@ad<"20000201" @rlad<"20000201") and ((url uri ((web$5 html internet http) near3 (address $5link location reference))) near9 (method class object script instruction simulat$5 control $5 instantiat$5 invok$5)) and ((manufactur$5 fabricat$5 cutting machinery tool) near9 (method class object script instruction simulat$5 control$5 instantiat$5)) and ("703" "709" "700").clas. not S14 and ((url uri) near9 (path directory))	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:31
S18	0	S12 and ((manufactur$5 fabricat$5 cutting machinery tool) near9 (method class object script instruction simulat$5 control$5 instantiat$5)) and ("703" "709" "700").clas. not S14 and brook$4.as.	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:32
S19	88	(@ad<"20000201" @rlad<"20000201") and ((url uri ((web$5 html internet http) near3 (address $5link location reference))) near9 (method class object script instruction simulat$5 control $5 instantiat$5 invok$5)) and ((manufactur$5 industrial fabricat$5 cutting machinery tool) near9 (method class object script instruction simulat$5 control $5 instantiat$5)) and ("703" "709" "700").clas. not S14 and ((url uri) near9 (path directory))	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:33

S20	69	S19 and tool	US-PGPUB; USPAT	OR	OFF	2009/04/30 13:35
S21	4744	(@ad< "20000201" @rlad< "20000201") and ((url uri ((web$5 html internet http) near3 (address $5link location reference))) near9 (method class object script instruction simulat$5 control $5 instantiat$5 invok$5 override over-ride)) and ((factory default original previous$5 $3determined existing base) near9 (method class object script instruction simulat$5 control $5 instan$3))	US-PGPUB; USPAT	OR	OFF	2009/05/08 12:02
S22	2805	(@ad< "20000201" @rlad< "20000201") and ((url uri ((web$5 html internet http) near3 (address $5link location reference))) near9 (method class object script instruction model function simulat$5 control$5 instantiat$5 invok$5 override over-ride replac$4 substitute alternative custom $5 updated)) and ((factory default original previous$5 $3determined existing base) near9 (method class object script instruction model function simulat$5 control$5 instan $3)) and ((override over-ride replac$4 substitute alternative custom$5 updated) near4 (method class object script instruction model function simulat$5 control$5 instantiat$5))	US-PGPUB; USPAT	OR	OFF	2009/05/08 12:04

S23	151	S22 and ((override over-ride replac$4 substitute alternative custom$5 updated) near4 (method class object script instruction model function simulat$5 control$5 instantiat$5)).ab.	US-PGPUB; USPAT	OR	OFF	2009/05/08 12:05
S24	78	S22 and ((manufactur$5 fabricat$5 cutting machinery tool) near9 (method class object script instruction simulat$5 control$5 instantiat$5)).ab.	US-PGPUB; USPAT	OR	OFF	2009/05/08 12:07
S25	151	S23 not S24	US-PGPUB; USPAT	OR	OFF	2009/05/08 12:43
S26	946	S22 and ((manufactur$5 fabricat$5 cutting machinery tool robot electro-mechanical mechanical) near9 (method class object script instruction simulat$5 control$5 instantiat$5)) not S24	US-PGPUB; USPAT	OR	OFF	2009/05/08 12:48
S27	28	S22 and ((manufactur$5 fabricat$5 cutting machinery tool robot electro-mechanical mechanical) near9 (method class object script instruction simulat$5 control$5 instantiat$5)) not S24 and "700".clas.	US-PGPUB; USPAT	OR	OFF	2009/05/08 12:48
S28	2805	(@ad< "20000201" @rlad< "20000201") and ((url uri ((web$5 html internet http) near3 (address $5link location reference))) near9 (method class object script instruction model function simulat$5 control$5 instantiat$5 invok$5 override over-ride replac$4 substitute alternative custom $5 updated)) and ((factory default original previous$5 $3determined existing base) near9 (method class object script instruction model function simulat$5 control$5 instan $3)) and ((override over-	US-PGPUB; USPAT	OR	OFF	2009/05/08 19:01

		ride replac$4 substitute alternative custom$5 updated) near4 (method class object script instruction model function simulat$5 control$5 instantiat$5))				
S29	78	S28 and ((manufactur$5 fabricat$5 cutting machinery tool) near9 (method class object script instruction simulat$5 control$5 instantiat$5)).ab.	US-PGPUB; USPAT	OR	OFF	2009/05/08 19:01
S30	28	S28 and ((manufactur$5 fabricat$5 cutting machinery tool robot electro-mechanical mechanical) near9 (method class object script instruction simulat$5 control$5 instantiat$5)) not S29 and "700".clas.	US-PGPUB; USPAT	OR	OFF	2009/05/08 19:01
S31	2805	(@ad< "20000201" @rlad< "20000201") and ((url uri ((web$5 html internet http) near3 (address $5link location reference))) near9 (method class object script instruction model function simulat$5 control$5 instantiat$5 invok$5 override over-ride replac$4 substitute alternative custom $5 updated)) and ((factory default original previous$5 $3determined existing base) near9 (method class object script instruction model function simulat$5 control$5 instan $3)) and ((override over-ride replac$4 substitute alternative custom$5 updated) near4 (method class object script instruction model function simulat$5 control$5 instantiat$5))	US-PGPUB; USPAT	OR	OFF	2009/05/10 18:48

S32	78	S31 and ((manufactur$5 fabricat$5 cutting machinery tool) near9 (method class object script instruction simulat$5 control$5 instantiat$5)).ab.	US-PGPUB; USPAT	OR	OFF	2009/05/10 18:48
S33	28	S31 and ((manufactur$5 fabricat$5 cutting machinery tool robot electro-mechanical mechanical) near9 (method class object script instruction simulat$5 control$5 instantiat$5)) not S32 and "700".clas.	US-PGPUB; USPAT	OR	OFF	2009/05/10 18:48
S34	253	S31 and ((manufactur$5 fabricat$5 cutting machinery tool robot electro-mechanical mechanical) near9 (method class object script instruction simulat$5 control$5 instantiat$5)) not (S32 S33) and ("709" "718" "719").clas.	US-PGPUB; USPAT	OR	OFF	2009/05/10 18:48
S35	191	S34 and ((override over-ride replac$4 substitute alternative custom$5 updated) near4 (method class object script instruction model function simulat$5 control$5 instantiat$5 construct$5 applet bean)) and ((manufactur$5 fabricat$5 cutting machinery tool robot electro-mechanical mechanical) near9 (method class object script instruction simulat$5 control$5 instantiat$5 contruct$5 applet bean)) not (S32 S33) and ("709" "718" "719").clas. and ((url uri web$5) same (manufactur$5 cutting cutting machinery tool robot electro-mechanical mechanical))	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:09
S36	17	S35 and ((url uri web$5) same (manufactur$5 fabricat$5 cutting machinery tool robot electro-mechanical mechanical)).ab.	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:09

S37	59	S35 and automation not S36	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:14
S38	115	S35 not (S36 S37)	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:16
S39	9145	(@ad<"20000201" @rlad<"20000201") and ((url uri ((web$5 html internet http) near3 (address $5link location reference))) near9 (method class object script instruction model function simulat$5 control$5 instantiat$5 invok$5 override over-ride replac$4 substitute alternative custom $5 updated))	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:24
S40	156	S39 and ((factory default original previous$5 $3determined existing base) near9 (method class object script instruction model function simulat$5 control$5 instan$3 construct applet bean signature)) and ((override over-ride replac$4 substitute alternative custom$5 updated) near4 (method class object script instruction model function simulat$5 control$5 instantiat$5 construct applet bean signature)) and (match$3 near9 (signature construct))	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:25
S41	4	S40 and ((url uri web$5) same (manufactur$5 fabricat$5 cutting machinery tool robot electro-mechanical mechanical)).ab.	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:29
S42	67	S40 and ((url uri web$5) same (manufactur$5 fabricat$5 cutting machinery tool robot electro-mechanical mechanical)) not S41	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:29

S43	9383	(@ad<"20000201" @rlad<"20000201") and ((url uri ((web$5 html internet http) near3 (address $5link location reference))) near9 (method class object script instruction model function applet bean java$5 simulat $5 control$5 instantiat$5 invok$5 override over-ride replac$4 substitute alternative custom$5 updated))	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:34
S44	1	S43 and ((factory default original previous$5 $3determined existing base) near9 (method class object script instruction model function simulat$5 control$5 instan$3 construct applet bean signature)) and ((override over-ride replac$4 substitute alternative custom$5 updated) near4 (method class object script instruction model function simulat$5 control$5 instantiat$5 construct applet bean signature)) and (match$3 near9 (signature construct)) not S40	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:35
S45	11273	(@ad<"20000201" @rlad<"20000201") and ((url uri ((web$5 html internet http) near3 (address $5link location reference))) near9 (method class object script instruction model function applet bean java$5 code software application simulat $5 control$5 instantiat$5 invok$5 override over-ride replac$4 substitute alternative custom$5 updated))	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:37

S46	51	S45 and ((factory default original previous$5 $3determined existing base) near9 (method class object script instruction model function simulat$5 control$5 instan$3 construct applet bean java$5 code software application signature)) and ((override over-ride replac$4 substitute alternative custom$5 updated) near4 (method class object script instruction model function simulat$5 control$5 instantiat$5 construct applet bean java$5 code software application signature)) and (match$3 near9 (signature construct) not S40	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:38
S47	0	S45 and ((factory default original previous$5 $3determined existing base) near9 (method class object script instruction model function simulat$5 control$5 instan$3 construct applet bean java$5 code software application signature DLL library)) and ((override over-ride replac $4 substitute alternative custom$5 updated) near4 (method class object script instruction model function simulat$5 control$5 instantiat$5 construct applet bean java$5 code software application signature DLL library)) and (match$3 near9 (signature construct)) not (S40 S46)	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:43
S48	443	(@ad<"20000201" @rlad<"20000201") and ((url uri ((web$5 html internet http) near3 (address $5link location reference))) same (registry))	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:51

S49	1	(@ad< "20000201" @rlad< "20000201") and ((url uri ((web$5 html internet http) near3 (address $5link location reference))) same (registry)) and ((override over-ride) near4 registry)	US-PGPUB; USPAT	OR	OFF	2009/05/10 19:51
S50	11	(@ad< "20000201" @rlad< "20000201") and ((url uri ((web$5 html internet http) near3 (address $5link location reference))) same (registry)) and ((override over-ride) near4 (registry method library function))	US-PGPUB; USPAT	OR	OFF	2009/05/10 21:29
S51	1575	(@ad< "20000201" @rlad< "20000201") and (remote$5 near9 (method class object script instruction model function applet bean java$5 code software application simulat $5 control$5 instantiat$5 invok$5 override over-ride replac$4 substitute alternative custom$5 updated)) and (registry near9 (method class object script instruction model function applet bean java$5 code software application simulat$5 control$5 instantiat$5 invok$5 override over-ride replac$4 substitute alternative custom $5 updated))	US-PGPUB; USPAT	OR	OFF	2009/05/11 08:32
S52	23	S51 and ((factory default original previous$5 $3determined existing base) near9 (method class object script instruction model function simulat$5 control$5 instan$3 construct applet bean java$5 code software application signature)) and ((override over-ride replac$4 substitute alternative custom$5 updated) near4 (method class object script instruction model function simulat$5 control$5	US-PGPUB; USPAT	OR	OFF	2009/05/11 08:33

		instantiat$5 construct applet bean java$5 code software application signature)) and (match$3 near9 (signature construct))					
S53	6	S51 and ((override over-ride replac$4 substitute alternative custom$5 updated) near4 (method class object script instruction model function simulat$5 control$5 instantiat$5 construct applet bean java$5 code software application signature)) and (match$3 near9 (signature construct argument)) not S52	US-PGPUB; USPAT	OR	OFF	2009/05/11 08:35
S54	7182	(@ad<"20000201" @rlad<"20000201") and (remote$5 near9 (method class object script instruction model function applet bean java$5 code software application simulat $5 control$5 instantiat$5 invok$5 override over-ride replac$4 substitute alternative custom$5 updated)) and ((registry code byte indicator bit list flag tag) near3 (override over-ride replac$4 substitute custom$5 updated))	US-PGPUB; USPAT	OR	OFF	2009/05/11 08:39
S55	125	S54 and ((override over-ride replac$4 substitute alternative custom$5 updated) near4 (method class object script instruction model function simulat$5 control$5 instantiat$5 construct applet bean java$5 code software application signature)) and (match$3 near9 (signature construct argument)) not (S52 S53)	US-PGPUB; USPAT	OR	OFF	2009/05/11 08:40

| S56 | 717 | (@ad<"20000201" @rlad<"20000201") and (remote$5 near9 (method class object script instruction model function applet bean java$5 code software application simulat $5 control$5 instantiat$5 invok$5 override over-ride replac$4 substitute alternative custom$5 updated)) and ((pointer) near3 (override over-ride replac$4 substitute custom $5 updated)) | US-PGPUB; USPAT | OR | OFF | 2009/05/11 09:18 |
| S57 | 2 | S56 and ((override over-ride replac$4 substitute alternative custom$5 updated) near4 (method class object script instruction model function simulat$5 control$5 instantiat$5 construct applet bean java$5 code software application signature)) and (match$3 near9 (signature construct argument)) not (S52 S53 S55) | US-PGPUB; USPAT | OR | OFF | 2009/05/11 09:18 |

5/11/2009 10:52:48 AM
C:\ Documents and Settings\ gbengzon\ My Documents\ EAST\ Workspaces\ GCB 09496009
Web-based Tool management.wsp